

EMEA Product List

Battery Test & Maintenance Solutions, Rapid-Testers, Chargers

May 2019

Battery Maintenance Systems

Battery Maintenance Systems featuring the C7x00 family of analyzers allow users to test, track, label, and maintain fleets of batteries to ensure their equipment is always ready to go and save money on unnecessary battery replacements



Product Bundle	Systems - Value Bundles Components	Order Code AC Cord Type
		Ас сога туре
	Cadex C7200 C-Series Battery Analyzer	BBM2
2-Bay	2 Battery Adapters (any type)	-B (Europe)
-	Cadex BatteryShop™ 1	-C (UK)
	Cadex C7400 C-Series Battery Analyzer	BBM4
4-Bay	4 Battery Adapters (any type) - Cadex	-B (Europe)
	BatteryShop™ 1	-C (UK)
4-Bay	Cadex C7400ER C-Series Battery Analyzer	BBM4ER
Extended Range	4 Battery Adapters (any type) -	-B (Europe) -C (UK)
0	Cadex BatteryShop™ 1	-C (OK)
Battery Maintenance	Systems - All-in-One Advanced Bundles	
Product Bundle	Components	Order Code AC Cord Type
	Cadex C7200 C-Series Battery Analyzer	ne cord Type
	2 Battery Adapters (any type) -	
	Cadex BatteryShop™ 1	AVBM2
2-Bay	DYMO 45USB Barcode Reader0 Label Printer	-B (Europe)
	DYMO Battery Labels	-C (UK)
	2-Year Extended Warranty (Total = 4 years)	
	Cadex C7400 C-Series Battery Analyzer	
	4 Battery Adapters (any type) - Cadex	
4-Bay	BatteryShop™ 1 DYMO 450 Label Printer	AVBM4
4-Day	USB Barcode Reader	-B (Europe)
	DYMO Battery Labels	-C (UK)
	2-Year Extended Warranty (Total = 4 years)	
	Cadex C7400ER C-Series Battery Analyzer	
	4 Battery Adapters (any type) - Cadex	AVBM4ER
4-Bay	BatteryShop™ 1	-B (Europe)
Extended Range	DYMO 450 Label Printer	-C (UK)
U	USB Barcode Reader	
	DYMO Battery Labels	
	2-Year Extended Warranty (Total = 4 years)	

Battery Maintenance Systems (Cont.)

At the heart of a Battery Maintenance System are the analyzers and operational software that allow users to perform all of the basic tasks required to test and maintain battery fleets.



Analyzers

Product Name	Part Number
Cadex C7200 C-Series Battery Analyzer Services 2 batteries simultaneously; programmable up to 15V, 25Ah. Includes serial port to connect to printer, label printer or PC; USB port for PC.	07-720-0100
Cadex C7400 C-Series Battery Analyzer Services 4 batteries simultaneously; programmable up to 15V, 25Ah. Includes serial port to connect to printer, label printer or PC; USB port for PC.	07-740-0100
Cadex C7400ER C-Series Battery Analyzer High power version, services 4 batteries simultaneously; programmable up to 25Ah, 36V Li/SLA, 28.8V NiCd/NiMH, 6 Amps charge. Includes serial port to connect to printer, label printer or PC; USB port for PC.	07-740-1100

Software

Product Name	Part Number
Cadex BatteryShop™ software provides a simple yet powerful	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
PC interface to control and monitor Cadex C7000 C-Series	
battery analyzers.	The second secon

Cadex BatteryShop™ 1

Includes license to connect up to 3 analyzers, CD-ROM with BatteryShop™,	07 770 2001
C7000 C-Series firmware upgrade software, and one null modem cable and one USB cable.	07-770-2001

Cadex BatteryShop™ 4	07-770-2004
Includes license to connect up to 4 analyzers, 4-port Edgeport USB-Serial Converters, CD-ROM with BatteryShop™,	
C7000 C-Series firmware upgrade software, and four null modem cables.	

Cadex BatteryShop™ 8 07-770-2008

Includes license to connect up to 8 analyzers, 8-port Edgeport USB-Serial Converters, CD-ROM with BatteryShop™, C7000 C-Series firmware upgrade software, and eight null modem cables.

Cadex BatteryShop™ 16	07-770-2016
Includes license to connect up to 16 analyzers, 16-port Edgeport USB-Serial Converters, CD-ROM with	
BatteryShop™ C7000 C-Series firmware upgrade software, and 16 null modem cables.	

07-770-2032 Cadex BatteryShop™ 32

Includes license to connect up to 32 analyzers, two 16-port Edgeport USB-Serial Converters, CD-ROM with BatteryShop™, C7000 C-Series firmware upgrade software, and 32 null modem cables.

C7000 C-Series Product Lifetime Firmware & BatteryShop™ Upgrade Subscription 07-770-2100 Provides free software and firmware upgrades during product life of BatteryShop™ and C7000 C-Series.

^{*} Larger Systems: Up to eight 16-port Edgeport USB-Serial Converters can be used, providing connection for up to 128 analyzers. Please see your Cadex representative for details.

Battery Maintenance Systems (Cont.)

Adapters are available in both universal and battery-specific configurations (Custom Adapters), while accessories complete the system.











FlexArm™ Adapter

RigidArm™ Adapter

Universal Alligator Clips Adapter

OmniArm™ Adapter

18650 / 21700

Universal Adapters

Product Name	Part Number
FlexArm [™] Adapter – Universal adapter with spring-loaded arms	07-110-0180
RigidArm™ Adapter – Universal adapter with rigid arms	07-110-0192
Universal Alligator Clips Adapter - 4-wire battery cables with alligator clips	07-110-0115
OmniArm [™] Adapter – Universal adapter with spring-loaded arms	07-111-6600
18650 / 21700 Adapter – Custom adapter for 18650 & 21700 cylindrical cells	07-111-6410

Accessories

Product Name	Part Number
OYMO 450 Label Printer - Connects to PC USB port, includes USB cable, 100-240VAC	00-004-3037
DYMO Battery Labels - High quality, durable, 1.5" x 0.5" (2-up) 1,500/roll (MOQ= 4 Rolls)	00-004-3031
C7200 C-Series Carrying Case - Pelican Case Model 1500	87-725-0002
C7400 C-Series and C7400ER C-Series Carrying Case - Pelican Case Model 1520	87-725-0004
C7X00 C-Series Calibration Certificate ***** Must be ordered with the purchase of the C7x00 C-Series Analyzer. *****	VCC-1
Voltage Calibration Kit – For on-site calibration – certified for 2 years <i>Traceable to US NIST or Canada NRC</i>	92-770-0212
Voltage Calibration Recertification Fee Recertification needed every 2 years. Contact Cadex Technical Support for return authorization.	
C7X00 C-Series Factory Calibration Service – Recommended Annually Shipping Not Included. Contact Cadex Technical Support for return authorization.	VCC-2
JSB Barcode Reader - Connects through PC USB port	92-770-0261
Null Modem Cable, 20' - Connects analyzer serial port to PC or Edgeport USB Interface	68-931-0007
USB Type A Cable - Connects C7000 C-Series analyzer USB port to PC USB port	68-931-0008
Upgrades	
Description	Part Number
2-Year Extended Warranty - Extends original 2-year warranty to 4 years	99-100-0000
C7000 C-Series Product Lifetime Firmware & BatteryShop™ Upgrade Subscription Provides free software and firmware upgrades during product life of BatteryShop™ and C7000 C-Series.	07-770-2100

C8000 Advanced Battery Testing System

The **Cadex C8000** is an advanced battery testing system capable of use in a variety of applications from battery selection and characterization to quality monitoring and battery servicing.





SnapLock™ Adapter Unit

Product Name	Part Number
Cadex C8000 including BatteryLab™ PC Software	11-308-0000

4 Channel desktop or rack-mount battery test system with internal 400-Watt power supply, 100-240VAC . Includes C8000 base unit, and BatteryLab PC software on CD-ROM,

4 ea. 1.8m (6') power port cables, 4 ea. 1.8m (6') auxiliary data cables, one 3m (10 ft.) Ethernet cable,

1 ea. dual port power cable (DPPC), AC power cords.

1 ea. QuickStart Users Guide, User's Guide. RoHS compliant. Includes

North America, Europe and UK AC cords.

Accessories	
Product Name	Part Number
Cadex Load Capture Unit	11-308-0011
Cadex C8000 Adapter Unit Desktop 2-Bay Adapter Unit connects to C8000 Power Ports by designated cables. Provides access to SnapLock™ Battery Adapter (4-wire only) systems shared with other Cadex systems.	07-510-0000
Replacement C8000 Auxiliary Data Cable 1.8m (6ft.) DB 25-based cable including 4 differential analog voltage inputs, 4-input/output control for switching, SMBus, clock, data for smart packs, 2 general-purpose analog input.	17-670-0059
Dual Port Power Cable	17-070-1008
Kit, C8000 Power Cable 1.8m (6ft.) with 2mm & 4.4mm clips	92-470-0064-00
Kit, Alligator Clip 1.8m (6ft.) with 2mm & 4.4mm jack	92-470-0065-00
C8000 Transport Case – Pelican	87-725-0013
C8000 Factory Calibration Service – Shipping not included <i>Contact Cadex Technical Support for return authorization.</i>	VCC-3
C8000 LCU Calibration Service – Shipping not included <i>Contact Cadex Technical Support for return authorization.</i>	VCC-4
Upgrades	
Description	Part Number
2-Year Extended Warranty - Extends original 2-year warranty to 4 years.	99-100-0001
C8000 and BatteryLab™ Upgrade Subscription Provides access to all upgrades during product life of the C8000 and BatteryLab.	07-770-2103

Retail Battery Testing Systems

The Cadex C5100B Battery Testing System features a single-station Battery Tester for retail store locations that tests and classifies single cell Li-lon batteries in 4 minutes using QuickSort™ technology. Adding BatteryStore software and a receipt printer completes the system. When used to test cellular phone batteries the C5100B system improves customer service, generates new revenue, and saves money on service related issues.



|--|

Product Bundle	Components	Part Number AC Cord Type
	Cadex C5100B™ Rapid -Tester Includes SmartConnect or RigidArm Adapter	AVBM5
All-in-One Printer Bundle	Cadex BatteryStore™ North America and Euro AC Cord	-C (UK)
	Bixolon STP-103III Thermal Printer	
All-in-One Bundle	Cadex C5100B™ Rapid-Tester Includes SmartConnect or RigidArm Adapter Cadex BatteryStore™ North America and Euro AC Cord	BBM5 -C (UK)

Components

Product Name	Part Number AC Cord Type
Cadex C5100B™ Rapid-Tester Services 1 battery; user selectable for Li-Ion — 3.6-3.85V, 500-4000 mAh. Cadex BatteryStore™. North American and Euro AC cord. RoHS compliant.	11-510-0001 -C (UK)
Suggested Adapters: SmartConnect Adapter (with 2 Flex Strips) RigidArm Universal Adapter	07-111-6150 07-110-0192

Accessories

Product Name	Part Number
Bixolon STP-103III Thermal Receipt Printer Connects to serial port, includes serial cable, one roll of thermal paper	00-004-3092
Adapter Replacement Boards: FlexStrip Replacement for SmartConnect Adapter (6 pcs)	92-470-0061

Universal Conditioning Chargers

The Cadex Universal Conditioning Chargers (UCC) feature pulse charge technology to improve battery performance, prolong battery life and decrease charge time. A conditioning button at each bay (charge-discharge-charge) allows discharge on demand. Intelligent adapters configure the chargers to the correct battery parameters, allowing service of NiCd, NiMH or Lithium-based batteries.



Cadex UCC 6



Cadex UCC 2 Mobile



Cadex UCC-6M

Cadex UCC 2 Cadex UCC 1

Components	
=	

Product Name	Part Number
Cadex UCC 1	11-302-0100
1-bay Desktop Charger with external 60 Watt power supply, 100-240VAC	-B (Europe)
1 adapter required (not included), RoHS compliant	-C (UK)
Cadex UCC 2 2-bay Desktop Charger with external 60 Watt power supply, 100-240VAC 2 adapters required per charger (not included), RoHS compliant.	11-302-0200 -B (Europe) -C (UK)
Cadex UCC 2 Mobile 2-bay Mobile Charger with mounting bracket DC input 2 adapters required per charger (not included), RoHS compliant.	11-30X-XXXX
Cadex UCC 6 6-bay Desktop Universal Conditioning Charger with 100W internal power supply, 100-240VAC 6 adapters required (not included), RoHS compliant.	11-302-0600 -B (Europe) -C (UK)
Cadex UCC-6M	11-30X-XXXX
Full UCC System Enclosed in IP67 Transit Case	
Cadex UCC Solar-Powered Charger	11-30X-XXXX
Full UCC Solar System Enclosed in a Pelican Transit Case	

Headquarters

Cadex Electronics Inc. 22000 Fraserwood Way Richmond, BC, Canada V6W 1J6

Tel: (1)-604-231-7777; Toll Free: 1-800 565-5228 Fax: (1)-604-231-7755

Europe

Cadex Europe GmbH

Farmstrasse 91-97

D-64546 Moerfelden-Walldorf

Germany

Tel: +49 (0) 6105 975 11-0 SalesEMEA@cadex.com

info@cadex.com • www.cadex.com • www.batteryuniversity.com